



GRINDERS

SANREMO

Grinders



Grinders



Grinders
Link to the web site

SANREMO
COFFEEMACHINES

ON DEMAND

• Conical grinders

SR 83 OD



SR 71C OD



SR 64 OD



SR 64 OD evo



Technical data

		SR 83 OD	SR 71 C OD	SR 64 OD	SR 64 OD evo	SR 58 OD
power	W	650	850	350	350	250
burrs	-	flat	conical	flat	flat	flat
burrs diameter	inch / mm	3.27 / 83	2.79 / 71	2.52 / 64	2.52 / 64	2.28 / 58
motor speed 50 Hz	rmp	1350	450	1350	1350	1400
motor speed 60 Hz	rmp	1550	500	1550	1550	1600
coffee beans hopper capacity	lb / kg	3.3 / 1.5	3.3 / 1.5	3.3 / 1.5	3.3 / 1.5	1.3 / 0.6
net weight	lb / kg	44 / 20	42 / 19	31 / 14	31 / 14	22 / 10
width	inch / mm	9.05 / 230	9.05 / 230	9.05 / 230	9.05 / 230	6.65 / 169
height	inch / mm	26.73 / 679	26.34 / 670	24.21 / 615	24.21 / 615	18.62 / 473
dept	inch / mm	10.63 / 270	10.63 / 270	10.63 / 270	10.63 / 270	9.45 / 240

SR 58 OD



Optional



"RED SPEED" BURRS
Improves the quality of grinding and offers a much longer life span. (PVD-coated)

Available for SR 83 OD and SR 64 OD EVO models.

Colors

	Black	RAL 9017
	Silver	RAL 9006
	White	RAL 9003
	Red	RAL 3002

The SR 58 A and SR 58 OD models are not available in the silver version and the SR 63 CA model is not available in red color.

AUTOMATIC

• Conical grinders

SR 83 A



SR 64 A



SR 63 CA



SRQ 63 A



Technical data

		SR 83 A	SR 64 A	SR 63 CA	SRQ 63 A	SR 58 A
power	W	650	350	750	300	250
burrs	-	flat	flat	conical	flat	flat
burrs diameter	inch / mm	3.27 / 83	2.52 / 64	2.48 / 63	2.48 / 63	2.28 / 58
motor speed 50 Hz	rmp	1400	1350	450	1400	1400
motor speed 60 Hz	rmp	1600	1550	500	1600	1600
coffee beans hopper capacity	lb / kg	3.3 / 1.5	3.3 / 1.5	3.3 / 1.5	2.6 / 1.2	1.3 / 0.6
net weight	lb / kg	45 / 20.5	31 / 14	45 / 20.5	25 / 11.4	22 / 10
width	inch / mm	9.05 / 230	9.05 / 230	9.05 / 230	6.29 / 160	6.65 / 169
height	inch / mm	26.38 / 670	24.21 / 615	26.38 / 670	20.08 / 510	18.62 / 473
dept	inch / mm	10.63 / 270	10.63 / 270	10.63 / 270	11.42 / 290	9.45 / 240

SR 58 A



MANUAL

SR 64 M



SRQ 63 M



Technical data

		SR 64 M	SRQ 63 M
power	W	350	300
burrs	-	flat	flat
burrs diameter	inch / mm	2.52 / 64	2.48 / 63
motor speed 50 Hz	rmp	1350	1400
motor speed 60 Hz	rmp	1550	1600
coffee beans hopper capacity	lb / kg	3.3 / 1.5	2.6 / 1.2
net weight	lb / kg	31 / 14	25 / 11.4
width	inch / mm	9.05 / 230	6.29 / 160
height	inch / mm	24.21 / 615	20.08 / 510
dept	inch / mm	10.63 / 270	11.42 / 290



On demand / Grinder doser

SR 83 OD

HIGHT PERFORMANCE
Flat burrs (ø 83 mm)
"Red speed" burrs (optional)

PRECISE GRINDING ADJUSTMENT
Mechanical micrometric with ring nut

EVERYTHING UNDER CONTROL
Display touch with CapSense technology

COFFEE TEMPERATURE (T) 27°C
RELATIVE HUMIDITY VALUE (RH) 37%

STATISTICS ON COFFEE CONSUMPTION AND WEAR MONITORING FOR THE BURRS

SINGLE DOSE MANUAL DOUBLE DOSE



Optional

"RED SPEED" BURRS
Improves the quality of grinding and offers a much longer life span. (PVD-coated)

Colors

	Black	RAL 9017
	Silver	RAL 9006
	White	RAL 9003
	Red	RAL 3002

Technical data		SR 83 OD
power	W	650
burrs	-	flat
burrs diameter	inch / mm	3.27 / 83
motor speed 50 Hz	rmp	1350
motor speed 60 Hz	rmp	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	44 / 20
width	inch / mm	9.05 / 230
height	inch / mm	26.73 / 679
dept	inch / mm	10.63 / 270

On demand / Conical grinder doser

SR 71C OD

HIGHT PERFORMANCE AND INTENSIVE USE
Conical burrs (ø 71 mm)

PRECISE GRINDING ADJUSTMENT
Mechanical micrometric with ring nut

EVERYTHING UNDER CONTROL
Display touch with CapSense technology

COFFEE TEMPERATURE (T) 27°C
RELATIVE HUMIDITY VALUE (RH) 37%

STATISTICS ON COFFEE CONSUMPTION AND WEAR MONITORING FOR THE BURRS

SINGLE DOSE MANUAL DOUBLE DOSE

AUTOMATIC COOLING FAN
Fan with thermostat activating only when the grinder doser overheats



Technical data		SR 71 C OD
power	W	850
burrs	-	conical
burrs diameter	inch / mm	2.79 / 71
motor speed 50 Hz	rmp	450
motor speed 60 Hz	rmp	500
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	42 / 19
width	inch / mm	9.05 / 230
height	inch / mm	26.34 / 670
dept	inch / mm	10.63 / 270



INVERTER TECHNOLOGY

The system ensures absolute precision and consistency for grinding, reducing motor consumption, operating noiselessly and showing exceptional reliability even during long time operations.

For more information about our
coffee machines please contact us
at export@sanremomachines.com



SANREMO
COFFEE MACHINES

SANREMO coffee machines s.r.l.
Via Giacomo Bortolan 52
31050 Vascon di Carbonera [TV] – ITALY
T +39 0422 448900
F +39 0422 448935
www.sanremomachines.com

Sanremo Coffee Machines s.r.l. has a certified Quality Management System
according to UNI EN ISO 9001:2015 standard.

